

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[nguyenvanhua1992@gmail.com](#) | [My Account](#) | [Sign out](#)

Google scholar

filter and event handler and response and info

Search

[Advanced Scholar Search](#)[Scholar Preferences](#)
**Scholar** [Articles and patents](#) [anytime](#) [include citations](#) Results **1 - 100** of about **117,000**. (0.56 sec)

[PDF] [EMERALD: Event monitoring enabling responses to anomalous live disturbances](#)

PA Porras, PG Neumann - Proceedings of the 20th National Information ..., 1997 - Citeseer

... the noise ratio from **event** records that the signature engine must **filter** out is ... and signature engines, and based on these reports invokes the various **response handlers** defined within ... the volume of intrusion and suspicion reports is lower than the individual **event** reports received ...

[Cited by 769](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

[PDF] [Kqueue: A generic and scalable event notification facility](#)

J Lemon - Proceedings of the USENIX Annual Technical ..., 2001 - Citeseer

... Ignoring the signal simply means that no signal **handler** will be called after the signal is delivered to the ... the use of EV\_CLEAR, which resets the **event** after it is returned; without this flag, the **event** would be ... The behavior of the PROC **filter** is best illustrated with the example below ...

[Cited by 85](#) - [Related articles](#) - [View as HTML](#) - [All 24 versions](#)

[Shield: Vulnerability-driven network filters for preventing known vulnerability ...](#) - [psu.edu](#) [PDF]

HJ Wang, C Guo, DR Simon, A Zugenmaier - Proceedings of the 2004 ..., 2004 - portal.acm.org

... In addition, shields can **filter** out outgoing traffic that triggers malicious responses back to the host itself ... parsing in the **event handlers** when not enough data has arrived for an **event-handler** to finish ... able to interpret the parts of the message due to the lack of **information** such as ...

[Cited by 214](#) - [Related articles](#) - [BL Direct](#) - [All 33 versions](#)

[Symphony: an environment for building special purpose construction simulation ...](#)

D Hajjar, S AbouRizk - Proceedings of the 31st conference on Winter ..., 1999 - portal.acm.org

... Symphony generates these events in **response** to user or system actions. ... The trace window is used to display and **filter** generated messages. ... Modeling Element Tree Modeling Element **Event Handler** Coding Area **Event** Combo Box Object Combo Box ...

[Cited by 66](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

[PDF] [Architectures for an event notification service scalable to wide-area networks](#)

A Carzaniga - ... doctoral dissertation. Milano, Italy: Politecnico di ..., 1998 - Citeseer

... 23 3.1.5 Identifiers and **handlers** . . . . . Expressiveness has to do with the type of **information** that can be attached and propagated with notifications as well as the ability of the **event** service to aggregate and **filter** events as precisely as possible on behalf of applications. ...

[Cited by 207](#) - [Related articles](#) - [View as HTML](#) - [All 22 versions](#)

[Kecho-event communication for distributed kernel services-](#) [gatech.edu](#) [PDF]

C Poellabauer, K Schwan, G Eisenhauer, J Kong - Lecture notes in computer ..., 2002 - Springer

... 95 the number of requests, where the task of **event handling** is the most expensive (approximately 70% of the ... The final experiment investigates the advantage of **event** filtering in more detail ... The OUT-**filter** introduced above forwards requests to the servers with low load to ensure ...

[Cited by 12](#) - [Related articles](#) - [BL Direct](#) - [All 10 versions](#)

### Event architecture for system management in an operating system

MRC Seaman, KW Ross, MS Blanford, IJ Heizer, ... - US Patent ..., 1999 - Google Patents

... **Event Sinks Event Sink Calls Event Handler** to Respond to **Event Report Event Handler** Executes 70 72 ... to inform the BRIEF DESCRIPTION OF THE DRAWINGS **event** sink object of the triggered **event**. ... of a data processing system that object may be provided with a **filter** that is ...

[Cited by 14](#) - [Related articles](#) - [All 6 versions](#)

### Location **information** managment- [psu.edu](#) [PDF]

H Naguib, G Coulouris - Proc. of UBICOMP, 2001 - Springer

... All location technologies generate sensor events in **response** to changes in the locations of ... Further selection is performed by **event filters** which the application can instantiate. ... The **event handling** abstraction outlined here is compatible with most general-purpose **event handling** ...

[Cited by 29](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

### The design of a dynamic emergency **response** management **information** system ( ... - [aisnet.org](#) [PDF]

M Turoff, M Chumer, X YAO - Annual Review of Network Management ..., 2006 - books.google.com

... impact on the design of support sys- tems and rethinking the nature of **filters**, which attempt to ... High levels of uncertainty and **information** overload are very harmful to reliable disaster **response**. ... about ambiguity as a data corruption problem at the local and specific **event** level of ...

[Cited by 131](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

### Evaluating architectures for multithreaded object request brokers- [psu.edu](#) [PDF]

DC Schmidt - 1998 - portal.acm.org

... In contrast, SII stubs support only twoway, that is, request/**response**, and oneway, that ... For instance, to implement a thread-per- request strategy, the **filter** can spawn a ... which inte- grates transport endpoint demul- tiplexing and the dispatching of the corresponding **event handlers**. ...

[Cited by 110](#) - [Related articles](#) - [All 22 versions](#)

### Thread transparency in **information** flow middleware- [psu.edu](#) [PDF]

R Koster, AP Black, J Huang, J Walpole, C Pu - Software-Practice and ..., 2003 - Springer

... provided by current middleware is the client-server architecture and request-**response** interaction, where ... Marshalling **filters** on either side translate the raw data flow to a higher-level ... called before the previous invocation completes or while a control **event handler** of the same ...

[Cited by 31](#) - [Related articles](#) - [BL Direct](#) - [All 32 versions](#)

### An object-oriented framework for dynamically configuring extensible distributed ... - [psu.edu](#) [PDF]

DC Schmidt, T Suda - Distributed Systems Engineering, 1994 - iop.org

... external events (such as connection requests and application data) onto pre-registered application-specified **event handlers**. ... An **event** server runs on a separate network that is connected via LANs or ... These servers act as mediators that analyse, **filter**, and forward a subset of the ...

[Cited by 100](#) - [Related articles](#) - [All 16 versions](#)

### [PDF] [A personal email assistant](#)

R Bergman, M Griss, C Staelin - HP Laboratories, Palo Alto, CA, USA HPL- ..., 2002 - Citeseer

... If we treat email as an **Event**, we can use a Dispatcher-like object as an **event filter**, which selects an appropriate Activity to handle the mail **event**. The property-file can then be used to configure a mail **handling** dispatch tree. 4.2 The basic classes ...

[Cited by 20](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

Method for automatically collecting and delivering application **event** data in an ...

JE Faust, JR Meier - US Patent 5,752,159, 1998 - Google Patents

... List **filters** list **event** types and **filter** values. ... ECAAwaitEventsExit() from within the idle-time callback routine or from within one of the **event handling** callback routines ... any specified idleTimeCallbacfc routine to be invoked more often, but may result in slower **response** to incoming ...

[Cited by 14](#) - [Related articles](#) - [All 2 versions](#)

Some initial performance characteristics of three architectural styles- [psu.edu](#) [PDF]

H Grahm, J Bosch - Proceedings of the 1st international workshop on ..., 1998 - portal.acm.org

... Several sub-styles to the pipes 8c **filters** style exists [1, 41, which differ in the way **filters** are connected, eg, one ... The interface consists of a set of interface elements, called **event handlers**. Each **handler** defines the behaviour of the component in **response** to the receipt of an **event** ...

[Cited by 10](#) - [Related articles](#) - [All 9 versions](#)

[PDF] [A scaleable, platform-based architecture for multiple domain network management](#)

F Stamatelopoulos, T Chiotis, B Maglaris - IEEE International Conference on ..., 1995 - Citeseer

... MIB Monitoring Services **Event/Trap Handler** Security & Accounting Services Network Object Management Services Manager-to- Manager Services ... min-max entity mean entity variance entity **event/ trap filter** stat report entity Figure 9: Manager MIB structure outline Page 6. ...

[Cited by 19](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 8 versions](#)

[PDF] [A XML based policy-driven \*\*information\*\* service](#)

R Natarajan... - Technology, 1999 - Citeseer

... Page 7. policydata field structure for one of the sub-systems of the **information** server is shown in Figure 4. Figure 4. Policy data for the **EventHandler** sub-system ... Policy Registrars **Event Handler** Policies ... **Event Log Event Filter** Registry Registry Requests Forwarder ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

Sumatra: A language for resource-aware mobile programs- [psu.edu](#) [PDF]

A Acharya, M Ranganathan, J Saltz - Lecture Notes in Computer Science, 1997 - Springer

... monitoring interface should al- low programs to register a application-specific **filter** which determines ... To ensure a prompt **response** to asynchronous events, a function-call-based interface would ... occurs and makes it available for use within the corresponding **event handler**; or (2 ...

[Cited by 221](#) - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)

Oceanstore: An architecture for global-scale persistent storage- [psu.edu](#) [PDF]

J Kubiawicz, D Bindel, Y Chen, S Czerwinski, ... - ACM SIGARCH ..., 2000 - portal.acm.org

... Finally, the underlying infrastructure has more up-to-date **information** about the current location of en- ...  $\hat{O} \frac{1}{2}$  is looking for object , whose GUID hashes to bits 0, 1, and 3. (1) The local Bloom **filter** for  $\hat{O} \frac{1}{2}$  (rounded box) shows that it does not have the object, but (2) its neighbor **filter** ...

[Cited by 1835](#) - [Related articles](#) - [BL Direct](#) - [All 149 versions](#)

[PDF] [Design of a scalable \*\*event\*\* notification service: Interface and architecture](#)

A Carzaniga, DS Rosenblum, AL Wolf - unpublished. Available from <http://www.cs.> ... - Citeseer

... In this style, components are programmed as reactive ob- jects that perform actions in **response** to certain ... sociated with it that defines both the identity of that object and the **handler** used by ... An **event filter**, or simply a **filter**, defines a class of **event** notifications by specifying a set ...

[Cited by 82](#) - [Related articles](#) - [View as HTML](#) - [All 29 versions](#)

[Control of \*\*event handling\*\* timeliness in RTEMS-](#) [ul.pf \[PDF\]](#)

M Coutinho, J Rufino, C Almeida - Proceedings of the 17th IASTED ..., 2005 - actapress.com

... **Event** Characterization (eg Digital **Filter**) events  $x[n]$   $y[n]$  (interrupts) **event** info (eg rate) Figure ... new **event** occurs we know the elapsed time since the last registered **event** and thus ... 4.3 Overload **Handling** When an overload is detected and the corresponding in- terrupt is disabled ...

[Cited by 8](#) - [Related articles](#) - [All 4 versions](#)

[Intrusion detection using autonomous agents-](#) [carleton.ca \[PDF\]](#)

EH Spafford, D Zamboni - Computer Networks, 2000 - Elsevier

... If an agent collects network **information** related to the host where it is running, we reduce the possibility of insertion and evasion attacks [27 ... From 1997 to date the AAFID architecture evolved with the addition of **filters** and the separation of the user interface from the monitor. ...

[Cited by 283](#) - [Related articles](#) - [All 5 versions](#)

[Visual specification of multi-view visual environments-](#) [psu.edu \[PDF\]](#)

JC Grundy, WB Mugridge, JG ... - IEEE Symposium on ..., 1998 - doi.ieeecomputersociety.org

... Our approach uses change propagation and **response** graphs (CPRGs) as the underlying implementation ... For example, a **filter** and action specification can ensure that whenever a new actor is ... For example, an additional **event handler** is shown attached to the Diagram (view ...

[Cited by 23](#) - [Related articles](#) - [All 9 versions](#)

[Service-oriented device communications using the devices profile for web services-](#) [psu.edu \[PDF\]](#)

F Jammes, A Mensch, H Smit - ... of the 3rd international workshop on ..., 2005 - portal.acm.org

... contains a **filter** expression, the **event** source sends only notifications that match the requested **filter**. ... **Event** messages are transported in the same way as any other SOAP messages, as ... and sending a request message to a device and for receiving and **handling** its **response** ...

[Cited by 66](#) - [Related articles](#) - [All 15 versions](#)

[\[PDF\] \\*Applying patterns and frameworks to develop object-oriented communication ...](#)

DC Schmidt - Handbook of Programming Languages, 1997 - Citeseer

... State Service Configurator State Strategy Active Object Pipes and **Filters** Adapter Service Configurator Protocol **Handler** Protocol **Filter** Acceptor **Event** Dispatcher Asynchronous Completion Token Figure 4: Architectural Overview of the JAWS Framework ...

[Cited by 71](#) - [Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[\[PDF\] \\*... agent fault tolerance for \*\*information\*\* retrieval applications: An exception \*\*handling\*\* ...](#)

S Pears, J Xu, C Boldyreff - Proceedings of the The Sixth ..., 2003 - hemswell.lincoln.ac.uk

... provide a solution that is agent server independent and offer continued service in the **event** of an agent server ... mobile agents **filter information**, ie no state dependencies are introduced between the mobile agent and ... degraded **response** is incorporated into the recovery **handler**. ...

[Cited by 26](#) - [Related articles](#) - [View as HTML](#) - [All 14 versions](#)

[Using policies to drive autonomic management](#)

RM Bahat, MA Bauer, EM Vieira, OK Baek - Proceedings of the 2006 ..., 2006 - portal.acm.org

... gener- ated from monitoring components and that the **Event** Han- dler **filters** received events for ... The Monitor forwards the **response** time measurements to the Monitor Manager which processes the **information** (ie, compute trend) and forwards it to the **Event Handler** to determine ...

[Cited by 15](#) - [Related articles](#) - [All 2 versions](#)

### A portable platform for distributed **event** environments

B Bruegge - Proceedings of the 1991 ACM/ONR workshop on ..., 1991 - portal.acm.org

... example, an **event handler filter** can accumulate the events generated in a certain time, or send only ... Any communication initiated by the **event** interpreter uses a request/**response** protocol. ... This **information** is stored in the **event** table maintained by the **event handler**, because on ...

[Cited by 34](#) - [Related articles](#) - [All 2 versions](#)

### Serendipity: integrated environment support for process modelling, enactment and ...- [psu.edu](#) [PDF]

JC Grundy, JG Hosking - Automated Software Engineering, 1998 - Springer

... in **response** to the **event**. These operations update **information** and/or generate new events, which may be detected and acted upon by other **filters** and actions. VEPL is fully integrated with EVPL and thus provides a graphical, high-level specification of **event handling** for EVPL ...

[Cited by 60](#) - [Related articles](#) - [BL Direct](#) - [All 8 versions](#)

### Filtering and scalability in the ECO distributed **event** model- [psu.edu](#) [PDF]

M Haahr, R Meier, P Nixon, V ... - Proceedings of the 5th ..., 2000 - doi.ieeecomputersociety.org

... Subscribe(eventType,**eventHandler**,constraint) is used by entities to register interest in events. ... is delivered to all enti- ties subscribing to events of that type, subject to **filter**- ing against ... Unsubscribe(**event-type**, **event-handler**) is used by an entity to cancel an existing subscription. ...

[Cited by 26](#) - [Related articles](#) - [All 17 versions](#)

### [PDF] [State-oriented programming](#)

M Samek, P Montgomery - Embedded Systems Programming, 2000 - akaedu.org

... return to timekeeping mode the watch displays the most recent- ly selected **information**, that is ... the upper limit of the Eventtype range (see Listing 1) 6. Define **event handler** methods. Code entry/exit actions and start- up transitions as **response** to pre- defined events ENTRY\_EVT ...

[Cited by 23](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

### Kernel support for the **event**-based cooperation of distributed resource managers- [psu.edu](#) [PDF]

C Poellabauer, K Schwan - Proceedings of the 8th IEEE Real- ..., 1999 - doi.ieeecomputersociety.org

... Finally, **event** channels can take ad- vantage of **filters**, which can customize the **event** ... efficiently share relevant **information**, and (3) influencing process schedul- ing in **response** to the ... It offers several methods of **event** generation and **event handling**, thereby giving **event** sources ...

[Cited by 11](#) - [Related articles](#) - [All 16 versions](#)

### Towards a unified **event**-based software architecture- [psu.edu](#) [PDF]

JC Grundy, JG Hosking, WB Mugridge - Joint proceedings of the second ..., 1996 - portal.acm.org

... CPRG component definitions (as object-oriented classes), and must handcode the **event response** mechanisms. ... The 'ml3:done testing' **event handler** specifies that when process stage 'ml3:check changes' is made current (ie testing begun, detected by **filter** 'Made Current ...

[Cited by 4](#) - [Related articles](#) - [All 8 versions](#)

### [PS] [SPI: An instrumentation development environment for parallel/distributed systems](#)

D Bhatt, R Jha, T Steeves, R Bhatt, D ... - Proc. of Int. Parallel ..., 1995 - htc.honeywell.com

... events+data probes Histogram Display Storage **Filter Filter** ... Efficient communication among ea-machines to meet real-time **response** requirements and minimize the overhead. • Maintaining a virtual input **event** queue for each **event handler** and procedures to manipulate it. ...

[Cited by 31](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

### Telephone call **handling** system

J Shaio - US Patent 5,299,260, 1994 - Google Patents

... 45 manager module 20, agent supervisor station 22, host database 24, and voice **response** unit 25. ... 22, which tracks the system state as seen by call router 18 and **filters** incoming events ... **Event handler** 30 feeds ac- tions to state manager 32 and queries to routing inter- preter 34 ...

[Cited by 60](#) - [Related articles](#) - [All 7 versions](#)

### System and method for collecting and dispatching selected events in a computer ...

K Jacklin, D Clifford - US Patent 5,838,969, 1998 - Google Patents

... Each **handler** ^ status result in step 796, **event** manager 234 returns the FIG. ... If **event** manager 234, in step 796, determines that the Application 122 may selectively insert, alter or delete the generated status result translates as "**filter the event**", then registrations of ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] \*... client: A pattern for the client-side implementation of a pipelined request/**response** ...

M Heuser, EB Fernandez - Proceedings of the Pattern Languages of Programs ... - Citeseer

... Figure 7: UML class diagram for the URL **filter**. ... demultiplexor for several RpcConnection objects, but creates dependencies on Reactor and **EventHandler**. ... size\_t st\_requestId; // request Id int st\_wakeupReason; // wakeup reason ThreadAutoResetEvent st\_event; // wakeup **event** ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

### [PDF] \*MASmote-a mobility node for MAS-net (mobile actuator sensor networks)

Z Wang, Z Song, PY Chen, A Arora, D ... - ... of 2004 IEEE ... , 2004 - mechatronics.ece.usu.edu

... a hardware interrupt and may preempt the execution of a task or other hardware **event handler**." TinyOS system ... structured component-based applications and supports the concurrency model (task and **event**) of TinyOS [16 ... The differentiated data was filtered by a low-pass **filter**, ...

[Cited by 25](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

### Prioritized agent-based hierarchy structure for **handling** performance metrics data ...

A Newcombe, J Seraj - US Patent 6,349,325, 2002 - Google Patents

... characteristic for subordinate performance agents. Preferably each agent comprises a **filter** for filtering received **event information** based on a set of rules set up by the subscription **handler**. Prefer- ably the system further ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

### Dynamic binding for an extensible system- [psu.edu](#) (PDF)

P law Pardyak, BN Bershada - Proceedings of the Second Symposium on Operating ... - unix.org

... **Filters** require that a **handler** be able to manipulate its arguments; consequently **handlers** explicitly installed as lters may specify some param- eters as call-by-reference, rather than call-by-value. ... A **handler** that never returns can prevent the **event** raiser and other **handlers** ...

[Cited by 95](#) - [Related articles](#) - [BL Direct](#) - [All 26 versions](#)

### Hierarchical **event** monitoring and analysis

PA Porras, A Valdes - US Patent 6,484,203, 2002 - Google Patents

... these reports to the resolver 20 for further correlation, **response**, and dissemination ... message system operates under an asynchronous communication model for **handling** results dissemination ... a communication link with an **event** collection method (or **event filter**) and prompting ...

[Cited by 8](#) - [Related articles](#) - [All 2 versions](#)

**[PDF] \*Interaction Translation Methods for XML/SNMP Gateway Using XML Technologies**

YJ Oh, HT Ju, JW Hong - Proc. of the Asia-Pacific Network Operations ..., 2002 - dpe.postech.ac.kr

... One important type of XPath expression is a location path, which selects a set of nodes relative to the context node, and can recursively contain sub-expressions that are used to **filter** a set of nodes. ... XPath/XQuery **Handler** XPath/XQuery **Handler** ... DOM **Event** for Notification ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

**Method for computer internet remote management of a telecommunication network ...**

WE Barker, LM Connelly, MA Eggert, MP Foley ... - US Patent App. 09/ ..., 1998 - Google Patents

... Generated Events command ^ \* • - requests Ev.nB \j c^ \ cmd **Handler** Evan. ... SDP Request/**Response** (AP Status) **Event** Flow Status/Conflg Query/**Response** Flow ... GENERATED AT SERVER TO CLIENTS WHICH REGISTER **FILTERS** SPECIFYING **EVENT FILTER** CRITERIA, f ...

[Cited by 52](#) - [Related articles](#) - [All 5 versions](#)

**[PDF] \*A universal information appliance**

KF Eustice, TJ Lehman, A Morales, MC ... - IBM Systems ..., 1999 - researchweb.watson.ibm.com

... end-to-end data fflow between the application on the UIA and the data server, in **response** to the ... Actions are **event-handlers** that respond to events originating from the parent UI element. The **handler** in this example is- sues a SET command, setting the value of the text- field to ...

[Cited by 121](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 12 versions](#)

**The JEDI event-based infrastructure and its application to the development of the ...- \*psu.edu [PDF]**

G Cugola, E Di Nitto, A Fuggetta - IEEE Transactions on ..., 2001 - doi.ieeecomputersociety.org

... **event** could have been issued and this is unknown to the intermediate DSs **handling** the **event** ... first return value, or it can wait until all the recipients have provided a **response**. ... we approach this problem by introducing into the **event** dispatcher a new component called **event filter**. ...

[Cited by 531](#) - [Related articles](#) - [BL Direct](#) - [All 13 versions](#)

**Impala: a middleware system for managing autonomic, parallel sensor systems- \*psu.edu [PDF]**

T Liu, M Martonosi - Proceedings of the ninth ACM SIGPLAN symposium ..., 2003 - portal.acm.org

... The applications, the Application Adapter, and the Application Updater are all programmed into a set of **event handlers** which are invoked by the **Event Filter** when the associated ... In particular, applications must implement four **event** han- dlers: timer **handler**, packet **handler** ...

[Cited by 214](#) - [Related articles](#) - [BL Direct](#) - [All 29 versions](#)

**[PDF] \*The Sub-farm DAQ for the ATLAS DAQ Prototype-1**

D Francis, G Mornacchi, J Petersen, L Tremblet - ... . http://atddoc. cern. ch/Atlas/Notes/ ... - Citeseer

... Events may be transfered to different Mass storage system streams according to the indication of the **Event Handler**; for example events may have been categorised by the **event filter** and recorder according to the **filter response**. ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

**[PDF] \*Electrocardiograph Pre-Filtering, QRS Detection, and Palm Display Programming ...**

CKB Ayang-ang, LG Sison - ECE Conference, University of St. ..., 2001 - 2ececonf.ust.edu.ph

... There is a sample program from the ADSP seminar by Prof. Talib Alukaidey, which reads from the line-in SPORT and **filters** the signal. ... Bespoke **Event Handler** Functions MainFormHandleEvent Handles both display and function **event response** of the main system. ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Dynascope: A tool for program directing-](#) [kfupm.edu.sa](#) (PDF)

R Sosi\* - ACM SIGPLAN Notices, 1992 - portal.acm.org

... If **event handlers** are a part of the executor itself it will be impossible to perform dynamic creation or change in the **event** processing part of the executor. ... each emitted **event**. ... An application of asynchronous mode is tracing. The **filter** is controlled by routines: q dsldfi.lter, ...

[Cited by 44](#) - [Related articles](#) - [All 4 versions](#)

[PDF] \*[Designing a quality-aware discovery mechanism for acquiring context information](#)

M Chantzara, M Anagnostou, E Sykas - AINA - hercules.infotech.monash.edu.au

... **Event Handler** enables the CASs to issue a subscription for a context **event** to the local CB. ... At the **event** of a change to a context source, the CEP and CSA decide the rebinding to another one. ... (5) In order to **filter** the sources according to the required properties: ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[PDF] \*[... the integration of real-time asynchronous event handling mechanisms with existing ...](#)

G Fry, R West - Proceedings of the International Conference on ..., 2007 - Citeseer

... of asynchronous I/O: SIGIO: The server application registers a signal **handler** for **response** to the ... events to **handlers** [6]. Sig- nals also provide a generic mechanism for **event handling** in most ... ap- plication to register a set of kevents, each of which includes a **filter** condition and ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[Network management system using multifunction icons for information display](#)

RH Dev, EW Gray, ES Rustici, WP Scott - US Patent 5,261,044, 1993 - Google Patents

... to a correspond- ing network device and one or more inference **handlers** for processing ... Such data includes configura- tion data, an **event** log, statistics, history and current state ... the required garding a predetermined aspect of the corresponding network entity in **response** to user ...

[Cited by 105](#) - [Related articles](#) - [All 2 versions](#)

[PDF] \*[Service morphing: Integrated system-and application-level service adaptation in ...](#)

C Poellabauer, K Schwan, S Agarwala, A ... - Proceedings of the 5th ..., 2003 - Citeseer

... We are able to dynamically deploy **handlers** 'into' operating system kernels, eg, to control the ... Communication is based on InfoFabric's ECho **event** service; a server establishes an **event** channel and ... all clients allows the server to tune the operation of its data **filter** functions in ...

[Cited by 21](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

[Taxonomy of distributed event-based programming systems-](#) [psu.edu](#) (PDF)

R Meier, V Cahill - The Computer Journal, 2005 - Br Computer Soc

... 607 TheConsumerApplication { //subscribe to an **event** type template = Badge\_Seen(17, 29);  
EventClient.Register(**EventHandler**, template); //deliver **handler** implementation  
**EventHandler**(TheRemoteEventInstance) { processAnEvent(TheRemoteEventInstance); } } ...

[Cited by 86](#) - [Related articles](#) - [BL Direct](#) - [All 23 versions](#)

[PDF] \*[Distributed scheduling support in the presence of autonomy](#)

SJ Chapin - Proceedings of the 4th Heterogeneous Computing ..., 1995 - Citeseer

... The task acceptance function can be thought of as a task **filter** that compares the two ... Request message events ask the **handler** to perform a service, and comprise schedule re- quest ... Reply message events are paired with the corresponding request message **event** subtypes. ...

[Cited by 16](#) - [Related articles](#) - [View as HTML](#) - [All 10 versions](#)

### System and method for facilitating generation and editing of **event handlers**

G Lindhorst, J Buehler, M Sonntag, RL Kerr - US Patent 6,337,696, 2002 - Google Patents

... **FILTER** ACTIONS IN ACTION PANE 116 LISTOBJECTSONPAGEIN ACTION PANE CHOOSE OBJECT IN ACTION PANE 128 GENERATE SCRIPT TO LINK EVENTTO ACTION 140 ... Since the **event handler** scripts are generated automati- cally in **response** to selection ...

[Cited by 17](#) - [Related articles](#) - [All 4 versions](#)

### [PDF] \*Na Kika: Secure service execution and composition in an open edge-side ...

R Grimm, G Lichtman, N Michalakakis, A Elliston, A ... - Proc. 3rd NSDI, 2006 - usenix.org

... They first process a re- quest through a chain of input **filters**, then create a re- sponse in a dedicated module (the content **handler** for Apache ... level organi- zation, Na Kika's scripting pipeline stages have a sim- pler interface—requiring only two **event handlers**—and are ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [All 20 versions](#)

### [PDF] \*Management of data streams for a real time flood simulation

H Gadgil, JY Choi, B Engel, G Fox, S Ko, S ... - Community Grids Lab ..., 2004 - Citeseer

... The overall application, which is made up of numerous such data **filters** is then controlled via HPSearch objects. 1.3. NaradaBrokering for Stream **handling** NaradaBrokering [13, 14, 15] is an **event** brokering system designed to run on a large network of cooperating ...

[Cited by 4](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

### [PDF] \*Spamato-an extendable spam **filter** system

K Albrecht, N Burri, R Wattenhofer - 2nd Conference on Email and Anti-Spam ( ..., 2005 - Citeseer

... to subscribe for particu- lar events—for example, the Sound Player subscribes to the mail.post check **event** that is ... To give users the ability to adjust the **filter's** parameters, the **filter** has to hook into the config.web.pages extension point by registering a **handler** that creates a ...

[Cited by 30](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

### Method and apparatus for reactive and deliberative configuration management

L Lewis, R Malik, S Sycamore, U Datta, G ... - US Patent 6,421,719, 2002 - Google Patents

... PROVIDE NETWORK PERFORMANCE DATA TO RULE-BASED **EVENT HANDLER** PROVIDE NETWORK PERFORMANCE DATA TO CAPACITY PLANNER STORE NETWORK PERFORMANCE DATA IN DATABASE GENERATE **RESPONSE** TO CONFIGURATION ...

[Cited by 6](#) - [Related articles](#) - [All 2 versions](#)

### [PDF] \*State of the art review of distributed **event** models

R Meier - University of Dublin, Trinity College, 2000 - Citeseer

... 46 8.1.1.2 **Event Filter**..... 46 8.1 ... to know the client to which to return the **response**. Page 5. State Of The Art Review of Distributed **Event** Model March 2000 Page 2 which ...

[Cited by 19](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

### Design and evaluation of a wide-area **event** notification service- [psu.edu](#) [PDF]

A Carzaniga, DS Rosenblum, AL Wolf - ACM Transactions on Computer ..., 2001 - portal.acm.org

... As mentioned in the introduction, the **information** associated with an **event** is represented by a data structure ... Detailed discussion of **handlers** is beyond the scope of this paper. ... 3.2 **Filters** An **event filter**, or simply a **filter**, selects **event** notifications by specifying a set of attributes ...

[Cited by 1170](#) - [Related articles](#) - [BL Direct](#) - [All 69 versions](#)

## Server for **handling** multimodal **information**

HA Pasternack, N Fumai, D Ferrero - US Patent 6,859,451, 2005 - Google Patents

... According to a first aspect of the invention there is provided a server for **handling information** which is ... the **response** may be delayed, or to enable a user to be alerted of some **event**. ... server to process the **information** according to its modal form; and receiving a **response** from the ...

[Cited by 3](#) - [Related articles](#) - [All 6 versions](#)

## [PDF] \*Infofabric: Adaptive Services in Distributed Embedded Systems

K Schwan, C Poellabauer, G Eisenhauer, S Pande, ... - IEEE Workshop on Large ..., 2002 - Citeseer

... ered together raise the need for distributed systems to cooperate in finding optimal **handler/filter** settings, to ... Code restructuring for improving real time **response** through code speed, size trade-offs on limited memory ... Power-aware video decoding using real-time **event handlers**. ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

## [PDF] \*Applying the proactor pattern to high-performance web servers

J Hu, I Pyrali, DC Schmidt - Proceedings of the 10th International Conference ..., 1998 - Citeseer

... Pipelines follow the Pipes and **Filters** pattern [13] for input processing. ... read is performed asynchronously, the only synchronous operation performed by a Protocol **Handler** is the ... The primary drawback with the proactive **event** dispatch- ing model is that the application structure ...

[Cited by 23](#) - [Related articles](#) - [View as HTML](#) - [All 27 versions](#)

## ... and environment for specifying user interface **event handling** in design tools- \*psu.edu [PDF]

N Liu, J Hosking, J Grundy - ... of the eight Australasian conference on User ..., 2007 - portal.acm.org

... key visual constructs of our language are representations of events, tool objects, queries on a tool's object state, state changing actions (including primitives relevant to common **event handler** requirements), and ... **Event** property(s) ... **Filter** of objects eg only particular type Objects ...

[Cited by 3](#) - [Related articles](#) - [All 9 versions](#)

## [PDF] \*Adaptable parsing of real-time data streams

F Campanile, A Cilardo, L Coppolino, L Romano - Proceedings of the 15th ..., 2007 - Citeseer

... Log File Log File Monitor Monitor Buf er Queue Buffer Queue **Event Handler Event** Manager DAC DAG Msg **Handler** Msg **Filter** Msg Manager Msg **Handler** Msg **Filter** Msg Manager Msg Queue Worker Worker Figure 2 - WFA buffered architecture Page 6. ...

[Cited by 6](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

## [PDF] \*Synchronous and asynchronous collaborative **information** space analysis tools

KT Yao, R Neches, IY Ko, R Eleish, S Abhinkar - Proceedings of the International ..., 1999 - isi.edu

... Such organizations need to be able to quickly organize rapid **response** teams, backed by the ... users to collaborate in real-time over the Internet to jointly search, retrieve, **filter**, partition, and ... Finally, each **event handler** of the client applications receives, and executes the action. ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

## [PDF] \*Pro JSF and Ajax

J Jacobi, JR Fallows - linuxmall.com.br

... to the Web server to retrieve only the data needed using JavaScript to process the **response**, which creates a ... This code adds an onchange **event handler** to the <input> element that will call a JavaScript function, populateBookList(), which is ... The Ajax Book **Filter** Implementation ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

[\[PDF\] \\*From regulatory policies to \*\*event\*\* monitoring rules: Towards model driven ...](#)

C Giblin, S Muller, B Pfitzmann - IBM Research Report. Zurich ..., 2006 - domino.watson.ibm.com  
... Match/**Filter** identifies whether a single **event** matches a given characteristic and if so triggers an ... be configured to generate a default implementation, for example, which issues a specific **event** in **response** to ... the actions of a rule, we refer to the stubs hereafter as action **handlers**. ...

[Cited by 19](#) - [Related articles](#) - [View as HTML](#) - [All 3 versions](#)

[Developing flexible and high-performance Web servers with frameworks and ...- \[psu.edu\]\(#\) \[PDF\]](#)

DC Schmidt, JC Hu - ACM Computing Surveys (CSUR), 2000 - portal.acm.org  
... Strategy Concurrency Protocol Pipeline Framework Framework Tilde /home/... **Event** Dispatcher  
Acceptor Asynchronous Completion Token Reactor/Proactor Pipes and **Filters** State Singleton  
**Handler** Protocol Protocol **Filter** Adapter Strategy Service Configurator ...

[Cited by 24](#) - [Related articles](#) - [All 21 versions](#)

[\[PDF\] \\*Designing and implementing multi-user applications: a case study](#)

P Dewan - Software - Practice and Experience, 1993 - Citeseer  
... task of implementing some of the components of the application such as the query language and the interactive **event handlers**. While our goal was to automate a specific multi-user activity, our work on this application suggests a new and ... may be the global view or a **filter** view. ...

[Cited by 9](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 7 versions](#)

[Object browsing and a \*\*filter\*\* interface using a displayed dip switch in an object- ...](#)

LK Frid-Nielsen - US Patent 5,432,903, 1995 - Google Patents  
... programmer is currently working. In addition, a user/programmer may use a **filter** interface resembling a DIP (dual-inline package) switch for managing complex and voluminous **information**. 7 Claims, 25 Drawing Sheets Browsing ...

[Cited by 35](#) - [Related articles](#) - [All 2 versions](#)

[Method and apparatus for processing text inputs from multiple input devices in a ...](#)

WJ Saunders - US Patent 5,946,499, 1999 - Google Patents  
... The SOM object 44 suitably erably acts as a **filter** for input device events that are passed provides methods necessary for interaction ... for sending inputs to the computer system; a text service manager for providing at least one text service **event handler** in **response** to the ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] \\*\*\*Event-based information\*\* sharing](#)

C Lins - e-collection.ethbib.ethz.ch  
... The Coda file system provides an example of **handling** this requirement, although it is designed ... a binary collection whose domain (left) value resides also in the applied **filter** collection. ... tion and an insight into the evolution of the concepts underlying the **event-based information** ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[Display of detected \*\*event\*\* for \*\*information handling\*\* system](#)

S Sasagawa - US Patent 6,681,245, 2004 - Google Patents  
... 1993 OTHER PUBLICATIONS WW Arkeketa, JR Clark, GE Fisher, RW Liang and JA Perry, "Graphical User Interface for LAN Net View Fix— **Event** Log **Filter** Notebook," IBM ... US 6,681,245  
**BI DISPLAY OF DETECTED EVENT FOR INFORMATION HANDLING SYSTEM** This ...

[Cited by 6](#) - [Related articles](#) - [All 4 versions](#)

### A tracer driver for hybrid execution analyses

L Langevine, M Ducassé - ... of the sixth international symposium on ..., 2005 - portal.acm.org  
... 4). At each trace **event**, the tracer driver is called to **filter the event**. ... From the point of view of a given **event handler**, the activation of other **handlers** on the same execution **event** is transparent. We emphasize more the tracer driver than the analyzer mediator. ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

### ... system and method for controlling access to network resources and **event** ...

R Angal, SVS Allavarpu, S Bhat, BL Fisher - US Patent 5,999,978, 1999 - Google Patents  
... confirmed/unconfirmed Synch: atomic/best effort Target Base Object Scope **Filter** FIG. ... Access Control Enforcement Function Access Control Decision Function Request **Response** Combining Proc. Pending Request Status Info Security Audit Trail **Event** Registry **Event** Router /T ...

[Cited by 23](#) - [Related articles](#) - [All 5 versions](#)

### [PDF] \*Building and applying geographical **information** system Grids

G Aydin, A Sayar, H Gadgil, MS Aktas, GC Fox, S ... - ... : Practice and Experience, 2008 - Citeseer  
... Once the services agree on the conditions of the data exchange, **handlers** convert XML data into an appropriate binary format and stream it over a ... **Event** Magnitude Lower Bound ... 8 the request (encoded as a GML **Filter**) and uses this to construct a corresponding MySQL query. ...

[Cited by 13](#) - [Related articles](#) - [View as HTML](#) - [All 8 versions](#)

### [PDF] \*A framework for environment aware mobile applications

G Welling, B Badrinath - International Conference on Distributed Computing ..., 1997 - Citeseer  
... The **event** handler is then activated by calling theHandler::Body() method, which can be executed on a separate **handler** thread. The arrival of an **Event** Object is detected within the **handler** body, which then invokes the object-type specific **response**. ...

[Cited by 24](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 15 versions](#)

### [PDF] \*Transnational **information** sharing and **event** notification

TR KASAD - 2003 - etd.fcla.edu  
... EXCEPTION clause that ties an exception type to an exception **handler**. Page 27. 16 2.2.3 Triggers ... provides the persistence capability and a filtering mechanism to the **Event** Server at every site. It includes a parser that maps the **filter** definitions of the events stored in XML files ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

### [PDF] \*StreamGen: A workload generation tool for distributed **information** flow applications

M Mansour, M Wolf, K Schwan - ... of the 2004 International Conference on ..., 2004 - Citeseer  
... in place, we will be able to build complex monitor conditions and virtual **event handlers** that can ... Figure 8 Average Inter-**event** Delay – each data point averaged over 1000 events. ... it results in the creation of a new channel with a bounded-area specialization **filter** that represents ...

[Cited by 5](#) - [Related articles](#) - [View as HTML](#) - [All 12 versions](#)

### An Integrated Platform for Mobile, Context-Aware, and Adaptive Enterprise ... - psu.edu [PDF]

G Hübsch, T Springer, A Spriestersbach, T Ziegert - ... 2005 (Wi2005), Bamberg, ... - Springer  
... **filters** the events encoded in HTTP request and invokes the appropriate **event handler** resources (see ... 4.3) utilizing a prioritized **event** queue to handle simultaneous occurrences of events. The TemplateGetter **filter** retrieves DDL template according to the requested URI from the ...

[Cited by 4](#) - [Related articles](#) - [All 9 versions](#)

### Common channeling signaling network maintenance and testing

EM Pester III - US Patent 5,715,294, 1998 - Google Patents

... CAT POINTER TO USER SERVICE **INFORMATION** LENGTH OF USER SERVICE **INFORMATION**  
USER SERVICE ... **EVENT** CTRL **EVENT** ANAL ALARM CONTROL FILE SERV PPT GEN REAQUE  
TRAP ... DB LOG TFC SCRIPT TFCINFO D2 TFC LOG **RESPONSE** RCT INFO ...

[Cited by 79](#) - [Related articles](#) - [All 4 versions](#)

### Synthbuilder: a graphical rapid-prototyping tool for the development of music ...

N Porcaro, D Jaffe, P Scandalis, J Smith, T Stilson, S ... - Computer Music Journal, 1998 - jstor.org

... a Music Kit synthesis or **event**-processing object. ... Scavone's waveform display tool, which shows the **filter's** amplitude, phase, group delay, and impulse **response**. The envelope **handler** uses a graphical view derived from Fernando Lopez-Lezcano's envelope editor. ...

[Cited by 6](#) - [Related articles](#) - [BL Direct](#)

### [PDF] Design of A Business Process Analyzer

L Jin, F Casati, A Van Moorsel - SIMULATION SERIES, 2002 - Citeseer

... component. The **Event Filter** decides which **event** this probe is waiting for according to user configuration. ... probe process are executed only by a group of worknode probes. This probe process usually has **event** publish and **handler** branch and a worknode loop. ...

[Cited by 3](#) - [Related articles](#) - [View as HTML](#) - [BL Direct](#) - [All 10 versions](#)

### [PDF] Software architecture for adaptive collision avoidance systems

J Blum, A Eskandarian - International Journal of Automotive ..., 2002 - society.kisti.re.kr

... Like the pipe and **filter** architecture, an **event**-driven architecture offers advantages that benefit the CAS ... However, one of the major disadvantages of **event- handler** architecture is that it is difficult to ... cannot guarantee order of processing or even if an announced **event** will be ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

### Event services for high performance computing- psu.edu (PDF)

G Eisenhauer, FE Bustamante, K ... - Proceedings of High ..., 2000 - doi.ieeecomputersociety.org

... In **response** to these needs, we have developed ECho, a high-performance **event**-delivery ... which must be used to open the channel, contains the contact **information** for the ... **event** delivery, ECho also provides mechanisms for associating threads with **event handlers** allowing a ...

[Cited by 77](#) - [Related articles](#) - [All 24 versions](#)

### Design and analysis of an efficient distributed event notification service- waikato.ac.nz (PDF)

S Bittner, A Hinze - 2004 - waik-rg-prod.its.waikato.ac.nz

... The **event information** is provided by **event** publishers, filtered by the service against the profiles ... In real-time systems such as facility management, an efficiency **filter** component is one of ... The Internet is based on the request/**response** paradigm: Users ask sources of **information** ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 6 versions](#)

### Eager Handlers-communication optimization in Java-based distributed ...

D Zhou, K Schwan - 3rd Intl. Workshop on Java for Parallel ..., 2001 - doi.ieeecomputersociety.org

... 6. Related Work Elvin[3], Gryphon[2] and Siena[16] are content-based large-scale notification/messaging systems. They also suppress **event information**, using subscription **filters**. The purpose of such **filters** is similar to the purpose of eager **handlers**. ...

[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

[Visual languages for \*\*event\*\* integration specification- \*inisa.fr\* \[PDF\]](#)

N Liu - Proceedings of the 28th international conference on ..., 2006 - portal.acm.org

... Many interconnection schemes are supported including one-way flow, request- **response**, asynchronous flow, and subscribe-notify. ... Kaitiaki uses the **event**-query-**filter**-action metaphor to allow visual primitives composition and java **event handler** code generation. ...

[Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] \*\*A highly customizable system monitoring and control tool\*\*](#)

SA Verkhedkar - Citeseer

... such as CPU/memory usage, resource usage, and network **information**. All the systems mentioned are extensible and configurable, however, unlike our tool, ... Furthermore, data **filters** ... **event handlers**, whereeach **event** handler is a function that is associated with an **event** ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[... -time \*\*event\*\* processing system with analysis engine using recovery \*\*information\*\*](#)

GD Baulier, SM Blott, PL Bohannon, BL Branch, ... - US Patent ..., 2002 - Google Patents

... log of the external database storage element are utilized, in conjunction with stored **event information** from the ... SAE) and a real-time analysis engine (RAE) in the real-time **event** processing system ... 7 shows a sample service/**handler** matrix that may be utilized in the SAE of FIG. ...

[Cited by 3](#) - [Related articles](#) - [All 2 versions](#)

[\[PDF\] \*\*RUBCES: Rule Based Composite Event System\*\*](#)

OK Sahingoz, N Erdogan - in XII. Turkish Artificial Intelligence and Neural ..., 2003 - cs.itu.edu.tr

... to the **event** system by using the subscribe syntax which contains **filter** constraints in ... Many of the **event** systems described in literature, as referenced in the previous section ... subscription mechanism, similar to that proposed by Carzaniga [5], which allows **handling** of application ...

[Cited by 7](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] \*\*Facilitating re-use by design: A filtering, transformation, and selection architecture\*\* ...](#)

I Lütkebohle, J Schaefer, S ... - ICRA Workshop on ..., 2009 - aiweb.techfak.uni-bielefeld.de

... Conversely, results of **handler** invocations are submitted to the post-processing part of the transformation graph consist- ing again of the three aforementioned types of ... After post-processing, the notifications are consumed by **event** sinks considered as **filter** nodes that ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

[\[PDF\] \*\*JECho-interactive high performance computing with Java event channels\*\*](#)

D Zhou, K Schwan, G Eisenhauer, Y Chen - Proceedings of the International ..., 2001 - Citeseer

... Quality control on **event** streams: An **event** consumer may use an eager **handler** to **filter** out less important events, to perform lossy compression to match **event** rates to available network bandwidth, or to simply drop some of the events (rather than leaving it up to the sup ...

[Cited by 19](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

[\[PDF\] \*\*What's New in the Java™ Portlet Specification 2.0 \(JSR 286\)?\*\*](#)

S Hepper, W Budziwojski - 2008 - developers.sun.com

... overall action phase ● State changes are allowed ● **Event handling** must be finished before rendering starts Page 11. ... equals("CustomerID.Changed") ) { String payload = **event**.getValue(); .. Page 17. ... AJAX Cookies and Headers **Filters** Other Additions Summary Page 23. ...

[Cited by 2](#) - [Related articles](#) - [View as HTML](#) - [All 9 versions](#)

**[PDF]** [A policy deployment model for the Ponder language](#)

N Dulay, E Lupu, M Sloman, N Damianou - Proc. IM, 2001 - Citeseer

... the values of the parameters and/or attributes of the subject and target of the policy, eg we can **filter** the results ... **eventHandler** obligMethod ... is enabled its obligation enforcement object registers the obligation **event** specification along with a reference to an **event handler** with the ...

[Cited by 116](#) - [Related articles](#) - [View as HTML](#) - [All 13 versions](#)

**[PDF]** [Complex event processing in distributed systems](#)

DC Luckham, B Frasca - Computer Systems Laboratory Technical Report CSL- ..., 1998 - Citeseer

... Relationships between events can be specified in **event** patterns in maps and **filters**. ... show direct two-way communication between the operator and the WIP, controllers and material **handling**. ... how relationships between events at different levels are defined by **event** pattern maps ...

[Cited by 73](#) - [Related articles](#) - [View as HTML](#) - [All 5 versions](#)

[Symbol browsing and filter switches in an object-oriented development system](#)

LK Frid-Nielsen - US Patent 5,557,730, 1996 - Google Patents

... 17,1996 [54] SYMBOL BROWSING AND **FILTER** SWITCHES IN AN OBJECT-ORIENTED DEVELOPMENT SYSTEM [75] Inventor: Lars K. Frid ... More particularly, the browser of the present inven- tion directly references symbol **information** stored in object code or executable ...

[Cited by 26](#) - [Related articles](#) - [All 2 versions](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

filter and event handler and respon Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2009 Google